## Welcome

**RESNET Quality Assurance Update** 



# Agenda

**Introductions** 

3 Ways RESNET Accomplishes QA Oversight

2018-2019 QA Results

**Top 5 Best Practices** 

Common (and uncommon) Misinterpretations

Upcoming Changes to RESNET QA







# Introductions: RESNET QA Team



Laurel Elam

Director of Quality Assurance Administration and Standards Email: <a href="mailto:laurel@resnet.us">laurel@resnet.us</a>



Billy Giblin

Quality Assurance Field Specialist Email: <u>billy@resnet.us</u>



Scott Doyle

RESNET Technical Director, Quality Assurance and Training Email: <a href="mailto:scott@resnet.us">scott@resnet.us</a>





# Introductions

















**RESNET** 

Rating Quality
Assurance Provider

Raters & RFIs





#### **Annual Quality Assurance Reports**

- Field & File QA Totals
- Software Version
- Professional Development
- Sampling Process
- Complaints Received & Rater Discipline
- ENERGY STAR QA
- Equipment Calibration







#### Online Provider QA Review

- YTD Provider QA Activities
- Field QA Process
- File QA Process
- Sampling Process
- Complaints Received & Rater Discipline
- New Rater/RFI Candidate
   Documentation
- Automated QA Tool








#### Field Visit Provider QA Review

- Face-to Face Feedback to RESNET
- YTD Provider QA Activities
- Field QA Progress
- Field Observations and Discussion
- Field QA Documentation and Process
- Automated QA Tool Feedback
- Energy Model Review











#### Top 5 Best Practices

Mentoring









### Top 5 Best Practices

PhotoDocumentation








### **Top 5 Best Practices**

 Equipment Check and Calibration




**EEBA** 



### **Top 5 Best Practices**

 Equipment Check and Calibration (continued)







#### **Top 5 Best Practices**

Detailed Report
 From QAD to Rater







### Common (and uncommon) Misinterpretations

"Continuously Operating"









### Common (and uncommon) Misinterpretations

"Continuously Operating"









https://www.resnet.us/wp-content/uploads/No.-380-2016-03-Continuously-Operating-Whole-House-Mechanical-Ventilation.pdf

### Common (and uncommon) Misinterpretations

"Independently Confirm"









### Common (and uncommon) Misinterpretations

Duct Testing Setup










### Common (and uncommon) Misinterpretations

Ventilation Testing












### Common (and uncommon) Misinterpretations

Off-site Chiller









https://www.resnet.us/wp-content/uploads/No.-301-2014-017-Off-Site-Chiller.pdf

#### MINHERS Addendum 30

#### Highlights:

Pre-Drywall QA







#### MINHERS Addendum 30

#### Highlights:

Remote QA







#### MINHERS Addendum 30

#### Highlights:

Elimination of QA Delegates



**EEBA** 



#### MINHERS Addendum 30

#### Highlights:

Builders not allowed to Rate their own homes







### RESNET Board Initiative: Performance-based QA Approach

- Incentivize Best Practices
- Focus on Quality of QA, not just Quantity
  - RESNET Staff to DRAFT Measures
  - Industry Vetting
  - Present to RESNET Board of Directors








#### RESNET Board Initiative: Utility DSM Program QA Pilot









2020 CONFERENCE

Scottsdale, AZ · Feb 24-26





### Rate This Session



By A. Wolf on April 14, 2013

Das bard es ver gad! A've traed et far tree weex ad et werx great! A recabed et ta aw Agazad watcxers! Fave stars!!!





# Thank you!

Join the conversation - #EEBASummit2019

Save the dates for next year:



